


Technical Specifications

PR No. 16-01-09-0006 – SUPPLY AND DELIVERY OF 17,550 lms PE TUBE – SDR 11 ¾”, ISO; 300 lms PE TUBE – SDR 11 ¾”,CTS and 940 lms PE TUBE, SDR 9 2”, ISO

PE TUBE – SDR 11 ¾”, ISO


Make: HDPE (High Density Polyethylene)	
Type: ISO	
Color: Black	
Outside Diameter: 24mm (minimum)	
Wall Thickness: 3mm (minimum)	
Total Length per Roll: 150 lm	
Working Pressure: 150 psi (minimum)	
Other Requirements: Original Manufacturer’s Product/ Manual/ Literatures	
Specify delivery Packaging	
End Caps Provided per roll	

DRAWINGS



PE TUBE –SDR 11
3/4", CTS

Make: HDPE (High Density Polyethylene)
Type: CTS
Color: Black
Outside Diameter: 22mm (minimum)
Wall Thickness: 2mm (minimum)
Total Length per Roll: 150 lm
Working Pressure: 150 psi (minimum)
Other Requirements: Original Manufacturer's Product/ Manual/ Literatures
Specify delivery Packaging
End Caps Provided per roll



PE TUBE, SDR 9 2", ISO	Make: HDPE (High Density Polyethylene)	
	Type: CTS	
	Color: Black	
	Outside Diameter: 22mm (minimum)	
	Wall Thickness: 2mm (minimum)	
	Total Length per Roll: 150 lm	
	Working Pressure: 150 psi (minimum)	
	Other Requirements: Original Manufacturer's Product/ Manual/ Literatures Specify delivery Packaging	
	End Caps Provided per roll	
DRAWINGS		
<p style="text-align: center;">62 mm (min.)</p> <p style="text-align: center;">7 mm (min.)</p>		

